Volume 39 1997

Index

Authors and subjects of articles in the body of the journal are indexed together. Co-authors of all articles are cross-referenced to the first author. Book reviews and abstracts are listed separately. A = annotation; E = editorial; L = letter.

Key to issues and pages

Issue	*Pages*	*Issue*	*Pages*	*Issue*	*Pages*
No. 1	1–70	No. 5	283–354	No. 9	571–642
No. 2	71–140	No. 6	355–426	No. 10	643–714
No. 3	141–210	No. 7	427–498	No. 11	715–786
No. 4	211–282	No. 8	499–570	No. 12	787–858

A

Abstracts

HAREL S, et al. Clinical characteristics of children referred to a child development center for evaluation of speech, language and communication disorders, 279

BLASCO PA and STANSBURY JCK Glycopyrrolate treatment of chronic drooling, 279

ABU-ARAFEH I: Visual evoked potentials: a diagnostic test for migraine headache in children, 491 (L)

Acidosis, renal tubular, A novel neurological disorder with progressive CNS calcification, deafness, and microcytic anemia, 198

ADAMS R *see* QUAN A

ADOLFSSON I *see* FERNELL E

Agnosia, Visual, with bilateral temporo-occipital brain lesions in a child with autistic disorder: a case study, 699

AIONA MD *see* CUDDEFORD TJ

AKALP F *see* KESKIN S

ALADJEM M *see* LAHAT E

Alcohol, Attention deficits and autistic spectrum problems in children exposed to, during gestation: a follow-up study, 583

ALDENKAMP AP *see* CARPAY HA

ALEXANDER GR *see* ALLEN MC

ALLEN MC and ALEXANDER GR: Using motor milestones as a multistep process to screen preterm infants for cerebral palsy, 12

ALLINGTON-SMITH P *see* PAUL M

Alpha-1-antitrypsin deficiency, Fibromuscular dysplasia of the internal carotid artery in a child with, 827

Alpha-sarcoglycan, Absence of, and novel missense mutations in the alpha-sarcoglycan gene in a young British girl with muscular dystrophy, 770

Anaphylaxis, Intraoperative, due to allergy to latex in children who have cerebral palsy: a report of six cases, 194

ANDERSEN JB *see* HAAGERUP A

ANDERSSON C *see* MATTSSON E

Anemia, microcytic, A novel neurological disorder with progressive CNS calcification, deafness, renal tubular acidosis, and, 198

Annotations
Botulinum toxin treatment in cerebral palsy: intervention with poor evaluation?, 635
Child with a spinal cord injury, 202
Current awareness: spotlight on consciousness - the 1996 Ronnie Mac Keith Lecture, 54
Does prepregnancy bacterial vaginosis increase a mother's risk of having a preterm infant with cerebral palsy? 836
Epilepsy and prejudice with particular relevance to children, 777
Fetal habituation: another Pandora's box?, 274
Memory in utero?, 343
Monocular vision loss can cause bilateral nystagmus in young children, 421
Postural support systems: their fabrication and functional use, 706
Prevalence of mental retardation: a critical view of recent literature, 125
Spinal muscular atrophy of childhood: genetics, 419
Temporal lobe seizures, hippocampal sclerosis, and other lesions, 564
Worster-Drought syndrome: a severe test of paediatric neurodisability services?, 782
Apgar score, low, Neurodevelopmental outcome in babies with, from Zimbabwe, 821
APPLETON RE *see* HUNG JCC
ARAKI A *see* ITO J-I
ARENS LJ et al.: Botulinum toxin A in the hemiplegic upper limb: a double-blind trial, 491 (L)
ARMSTRONG RW *see* STEINBOK P
ARNOLD AS et al.: Internal rotation gait: a compensatory mechanism to restore abduction capacity decreased by bone deformity, 40
AROICHANE M *see* MOTTRON L
ARONSON M et al.: Attention deficits and autistic spectrum problems in children exposed to alcohol during gestation: a follow-up study, 583
ARTS WFM *see* CARPAY HA
ASARNOW RF et al.: Developmental outcomes in children receiving resection surgery for medically intractable infantile spasms, 430
Asperger
disorder, Boys with, exceptional verbal intelligence, tics, and clumsiness, 691
syndrome associated with Steinert's myotonic dystrophy, 280 (L)
Ataxia, Familial spinocerebellar, and empty sella turcica, 558
Attention deficit
and autistic spectrum problems in children exposed to alcohol during gestation: a follow-up study, 583
hyperactivity disorder, somatosensory functioning in children with, 464
Aura in children and adolescents, Clinical characteristics and long-term outcome of, 26
Autism, Possible effects of tetrahydrobiopterin treatment in six children with, – clinical and positron emission tomography data: a pilot study, 313
Autistic
disorder
The changing prevalence of, in a Welsh health district, 150
Visual agnosia with bilateral temporo-occipital brain lesions in a child with,: a case study, 699
features, cognitive abilities and, Kabuki make-up (Niikawa–Kuroki) syndrome:, 487
spectrum problems, Attention deficits and, in children exposed to alcohol during gestation: a follow-up study, 583

B
Balance, standing, and walking function, The relation between, in children with spastic cerebral palsy, 106
BALOTTIN U et al.: Clinical characteristics and long-term outcome of aura in children and adolescents, 26
BANTA JV: Outcomes research, 357 (E)
BARABAS G *see* SOLAN A
BARBOT C et al.: Pontocerebellar hypoplasia with microcephaly and dyskinesia: report of two cases, 554
BARR J *see* LAHAT E
BAUDIN J *see* ROTH SC
BAUM M *see* QUAN A
BAX MCO:
Prevention – a complicated story, 789 (E)
Quantitative or qualitative research?, 501 (E)
Report of a meeting, 141 (E)
The blossoming of child neurology, 1 (E)
Unsolved problems, 645 (E)
What's the baby like?, 285 (E)
BEAUCHAMP R *see* STEINBOK P
BECKUNG E and UVEBRANT P: Dysfunction in childhood epilepsy, 72
Behavior, maladaptive, Correlates of, in individuals with 5p– (cri du chat) syndrome, 752
Behavioral
findings, Neuropsychological, intellectual, and, in patients with centrotemporal spikes with and without seizures, 646
functioning, cognitive and, The effect of seizure type and medication on, in children with idiopathic epilepsy, 731
Behaviour
Adaptive and maladaptive, in children with epileptic encephalopathies: correlation with cerebral glucose metabolism, 588
problems, Personality characteristics and, in individuals of different ages with Williams syndrome, 527
BERGSTRÖM M *see* FERNELL E
BESAG FMC *see* SCOTT RC
BEŠENSKI N *see* MEJAŠKI-BOŠNJAK V
BETZ B *see* SQUIRES L
BEUNEN G *see* WOLF MJ
BHAKTA P *see* HACKETT R
BIGLER ED *see* BOWEN JM
BIJLEFELD C *see* WOLF MJ
BILLSON FA *see* GOOD WV
Biotinidase deficiency
Late presentation of, with acute visual loss and gait disturbance, 830
:two cases of very early presentation, 832
Birthweight
extremely-low-, children, Longitudinal study of neu-

ropsychological outcome in blind, 292
very-low-
infants, Duration of transient hyperechoic images of white matter in,: a proposed classification, 2
preterm infants, Effects of intraventricular hemorrhage and hydrocephalus on the long-term neurobehavioral development of, 596
BISTRITZE T *see* LAHAT E
BJURE J *see* EMANUELSON IM
BLAYMORE BIER J-A et al.: Medical and social factors associated with cognitive outcome in individuals with myelomeningocele, 263
BLENNOW G *see* PALM L
BLICHFELDT S *see* HAAGERUP A
Blindness, Childhood, in India, the importance of prenatal factors, 449
BLUMEN S *see* NISIPEANU P
BOERSMA ER *see* KOOPMAN-ESSEBOOM
BOHAN TP *see* FLETCHER JM
BONAS R *see* MORTON RE
Books reviewed
BOULTON J et al. (Eds): *Long Term Consequences of Early Feeding. Nestlé Nutrition Workshop Series Vol 36*, 353
COHEN DJ and VOLKMAR FR (Eds): *Handbook of Autism and Pervasive Developmental Disorders, second edition*, 841
COMINGS DE: *Search for the Tourette Syndrome and Human Behaviour Genetics*, 354
COMINGS DE: *The Gene Bomb*, 208
CRATTY BJ and GOLDMAN RL (Eds): *Learning Disabilities: Contemporary Viewpoints*, 494
FINNIE NR: *Handling the Young Child with Cerebral Palsy at Home, third edition*, 842
FREEMAN JM et al. *Seizures and Epilepsy in Children: A Guide for Parents*, 353
GOLDBERG AL: *Acquired Brain Injury in Childhood and Adolescence*, 209
HALL DMB and HILL PD: *The Child with a Disability. Second Edition*, 209
JONES CJ: *An Introduction to the Nature and Needs of Students with Mild Disabilities: Mild Mental Retardation. Behavioural Disorders and Learning Disabilities*, 352
KING A et al.: *The Health of Youth – A Cross-National Survey*, 495
LINGAM S and NEWTON R: *Right from the Start: The Way Parents are Told that Their Child has a Disability*, 208
LYON GR and RUMSEY JM (Eds): *Neuroimaging: a window to the neurological foundations of learning and behaviour in children*, 353
MARINO B and PUESCHEL S (Eds): *Heart Disease in Persons with Down Syndrome*, 352
MARMOT ME and WADSWORTH MEJ (Eds): *Fetal and Early Childhood Environment: Long-term Health Implications*, 711
NORTH K: *Neurofibromatosis Type 1 in Childhood*, 711
PRIOR M: *Understanding Specific Learning Difficulties*, 494
ROBERTON NRC: *A Manual of Normal Neonatal Care, 2nd Edn*, 69
RONAN T: *Cognitive Developmental Therapy with Children*, 842
SHORVON SD et al. (Eds): *The Treatment of Epilepsy*, 69
SPARSHOTT M: *Pain, Distress and the Newborn Baby*, 712
WALLACE HM et al.: *Health Care of Women and Children in Developing Countries*, 70
WALLACE S (Ed): *Epilepsy in Children*, 494
WALTER P AND PORRINI M (Eds): *Nutrition in Pregnancy and Growth*, 426
WIDERSTROM A et al.: *Infant Development and Risk, 2nd Edition*, 426
WILSON BA and MCLELLAN DL (Eds): *Rehabilitation Studies Handbook*, 843
Bone
deformity, a compensatory mechanism to restore abduction capacity decreased by, Internal rotation gait:, 40
density and other predictors of fracture risk in children and adolescents with spastic quadriplegia, 224
BORGATTI R *see* BALOTTIN U
Botulinum toxin A in the hemiplegic upper limb: a double-blind trial, 185
see also, 491 (L)
Botulinum toxin treatment in cerebral palsy: intervention with poor evaluation?, 635 (A)
BOUDEWYN PETERS AC *see* CARPAY HA
BOWEN J M et al.: Childhood traumatic brain injury: neurophysiological status at the time of hospital discharge, 17
BOYD SG *see* SCOTT RC
BPNA PAPERS: Papers presented at the British Paediatric Neurology Association XXIII Annual Meeting, 347
Brain
damage, a modification of a classic EEG by preexisting,? fast-wave periodic complexes in a mentally retarded child who later developed subacute sclerosing panencephalitis:, 766
function in young infants, towards a better understanding of a sensitive method to evaluate, assessment of general movements:, 88
injury, acquired, among children and adolescents, Computed tomography and single-photon emission computed tomography as diagnostic tools in, 502
Childhood traumatic,: neurophysiological status at the time of hospital discharge, 17
Severity of, following neonatal extracorporeal membrane oxygenation and outcome at age 5 years, 441
lesions, bilateral temporo-occipital, Visual agnosia with, in a child with autistic disorder: a case study, 699
BRAMBLE D: Rapid-acting treatment for a common sleep problem, 543
BRAMBRING M *see* GOSCH A
Bronchopulmonary dysplasia, Long-term grating acuity and visual-field development in preterm children who experienced, 167
BROOKSHIRE BL *see* FLETCHER JM
BROUWE A *see* KOOPMAN-ESSEBOOM
BROUWER OF *see* CARPAY HA
BROWN JK
see LIN J-P
They are improved but are they better?, 213 (E)
BULAS DI *see* GLASS P
BUNDEY S: Prevalence and type of cerebral palsy, 568 (L)
BURACK GD *see* MANDELBAUM DE

BURKE CJ et al.: Ischaemic cerebral injury, intrauterine growth retardation, and placental infarction, 726
BURKE G *see* LOOMIS JW.
BURKE SO *see* HANDLEY-DERRY M

C

CADY E *see* ROTH SC
CASAER P *see* WOLF MJ
CANDAN G *see* KESKIN S
Caregivers expectations of services at Baragwanath Hospital, Soweto and their understanding of the child's disability, 815
CARNEIRO G *see* BARBOT C
CARPAY HA et al.: Disability due to restrictions in childhood epilepsy, 521
CATSMAN-BERREVOETS C *see* VAN MOURIK M
Cerebral injury, ischaemic, Intrauterine growth retardation, and placental infarction, 726
Cerebral palsy
A comparison of intensive neurodevelopmental therapy plus casting and a regular occupational therapy program for children with, 664
A preliminary evaluation of ankle orthoses in the management of children with, 243
Botulinum toxin treatment in,: intervention with poor evaluation?, 635 (A)
II: correlation with type of, MRI findings in patients with spastic cerebral palsy, 369
Development and reliability of a system to classify gross motor function in children with, 214
Does prepregnancy bacterial vaginosis increase a mother's risk of having a preterm baby with?, 836
Epilepsy in patients with, 659
Equinus deformity in,: recurrence after tendo achillis lengthening, 45
Intraoperative anaphylaxis due to allergy to latex in children who have,: a report of six cases, 194
Measuring anteversion and femoral neck-shaft angle in, 113
Oxygen cost, walking speed, and perceived exertion in children with, when walking with anterior and posterior walkers, 671
Prevalence and type of, in a British ethnic community: the role of consanguinity, 259
see also, 658 (L)
– the transition from youth to adulthood, 336
Using motor milestones as a multistep process to screen preterm infants for, 12
spastic
A hypothesis for the aetiology of, – the vanishing twin, 292
MRI findings in patients with.
I: correlation with gestational age at birth, 363
II: correlation with type of cerebral palsy, 369
The relation between standing balance and walking function in children with, 106
spastic diplegic
A randomized clinical trial to compare selective posterior rhizotomy plus physiotherpay with physiotherapy alone in children with, 178
Therapeutic electrical stimulation following selective posterior rhizotomy in children with,: a randomized clinical trial, 515
Cerebrovascular disease, Variable presentation of, in monovulvar twins, 628
Ceroid-lipofuscinosis, neuronal, infantile, EEG and evoked potentials in, 456
CHAN A *see* LEWINDON PJ
Changes in prevalence, aetiology, age at detection, and associated disabilities in preschool children with hearing impairment born in Göteborg, 797
Childhood traumatic brain injury: neurophysiological status at the time of hospital discharge, 17
Children's attitudes toward peers with disabilities: the Israeli perspective, 811
CHINN S *see* RONA RJ
CHO K *see* ITO J-I
CHRISTENSEN MF *see* HAAGERUP A
CIVITELLO LA *see* GLASS P
CLARK E *see* BOWEN J M
CLARKE DJ *see* DYKENS EM
CLARKE M *see* TAWFIK R
Clinical characteristics and long-term outcome of aura in children and adolescents, 26
Clumsiness, Asperger's disorder, exceptional verbal intelligence, tics, and, Boys with, 691
COCHRANE DD *see* STEINBOK P
COFFMAN CE *see* GLASS P
Cognition in LND: a two-year follow-up study, 492 (L)
Cognitive
abilities and autistic features, Kabuki make-up (Niikawa Kuroki) syndrome:, 487
and behavioral functioning, The effect of seizure type and medication on, in children with idiopathic epilepsy, 731
outcome in individuals with myelomeningocele, Medical and social factors associated with, 263
COLAH S and TRAUNER DA:Tactile recognition in infantile nephropathic cystinosis, 409
COMMARE MC et al.:The outcome of walking in stable neuromuscular deficiencies, 253
Computed tomography and single-photon emission computed tomography as diagnostic tools in acquired brain injury among children and adolescents, 502
Conduct-disordered children, hyperactive and,Test of two views of impulsivity in, 574
Congenital developmental coordination disorder, children with, Visual-perceptual and phonological factors in the acquisition of literacy among, 158
CONNOLLY KJ *see* LEUNG PWL
Consanguinity, the role of, prevalence and type of cerebral palsy in a British ethnic community:, 259
CORDERO JF *see* YEARGIN-ALLSOPP M
CORKERY A *see* TRENEMAN M
Correlates of maladaptive behavior in individuals with 5p– (cri du chat) syndrome, 752
CORRY IS et al.: Botulinum toxin A in the hemiplegic upper limb: a double-blind trial, 185
CORRY P *see* SINHA G
COSGROVE AP *see* CORRY IS
COWEY A: Current awareness: spotlight on consciousness - the 1996 Ronnie Mac Keith Lecture, 54 (A)
COX T *see* TAYLOR HM

CRAYTHORNE CB *see* DELFICO AJ
(Cri du chat), 5p–, syndrome,
Correlates of maladaptive behavior in individuals with, 752
Families of children with,: familial stress and sibling reactions, 757
CUDDEFORD TJ et al.: Energy consumption in children with myelomeningocele: a comparison between reciprocating gait orthosis and hip–knee–ankle–foot orthosis ambulators, 239
Current articles, 139, 569, 641, 786, 844
CYNN V *see* ASARNOW RF
Cystic leukomalacia, Early cerebral proton MRS and neurodevelopmental outcome in infants with, 373
Cystinosis, infantile nephropathic, Tactile recognition in, 409
Cysts, Resolution of subependymal, in neonatal holocarboxylase synthetase deficiency, 267

D

DALTON RN *see* RAHMAN S
DAMMAN O and LEVITON A:
Duration of transient hyperechoic images of white matter in very-low-birthweight infants: a proposed classification, 2
Does prepregnancy bacterial vaginosis increase a mother's risk of having a preterm infant with cerebral palsy?, 836
DARIN N et al.: Changes in prevalence, aetiology, age at detection, and associated disabilities in preschool children with hearing impairment born in Göteborg, 797
DAVIDSON KC *see* FLETCHER JM
DE GROOT L *see* PLANTINGA Y
DE VRIES LS
see Groenendaal F
see Pierrat V
DÉCARIE J-C *see* MOTTRON L
DECOUFLÉ P *see* YEARGIN-ALLSOPP M
Deglutition apnoea as indicator of maturation of suckle feeding in bottle-fed preterm infants, 534
DELFICO AJ et al.: Intraoperative anaphylaxis due to allergy to latex in children who have cerebral palsy: a report of six cases, 194
DELP SL
see ARNOLD AS
see RIEWALD SA
DEMSKY A *see* WEGLAGE J
DEONNA T et al.: Dopa-responsive childhood dystonia: a forme fruste with writer's cramp, triggered by exercise, 49
DERRICK EJ *see* HANDLEY-DERRY M
DETREMBLEUR C et al.: Does walking speed influence the time pattern of muscle activation in normal children?, 803
Developmental
coordination disorder, Covert orienting of visuospatial attention in children with, 736
disabilities, Treatment of multiple sleep problems in children with,: faded bedtime with response cost versus bedtime scheduling, 414
lag hypothesis, exploring the, Inter- and intrasensory modality matching in children with hand–eye coordination problems:, 790
outcomes in children receiving resection surgery for medically intractable infantile spasms, 430
DIAS L *see* VANKOSKI S
DICKSON A *see* TAWFIK R
Dioxin exposure, PCB and, Newborn infants diagnosed as neurologically abnormal with relation to, and their thyroid-hormone status, 785 (L)
Disabilities, Children's attitudes toward peers with:, the Israeli perspective, 811
Disability, Caregivers' expectations of services at Baragwanath Hospital, Soweto and their understanding of the child's, 815
DOBSON V *see* HARVEY EM
DOERS T et al.: The progression of untreated lumbar kyphosis and the compensatory thoracic lordosis in myelomeningocele, 326
Does walking speed influence the time pattern of muscle activation in normal children?, 803
Dopa-responsive childhood dystonia: a forme fruste with writer's cramp, triggered by exercise, 49
DORMANS JP *see* DELFICO AJ
DOWDNEY L *see* TRENEMAN M
DUBOWITZ V *see* QUINLIVAN RM
DUFFY CM et al.:The influence of flexed-knee gait on the energy cost of walking in children, 234
DUVAL-BEAUPÈRE G *see* COMMARE MC
DYKENS EM and CLARKE DJ: Correlates of maladaptive behavior in individuals with 5p– (cri du chat) syndrome, 752
Dysautonomia, familial, Taste and smell in, 393
Dyskinesia, Pontocerebellar hypoplasia with microcephaly and,: report of two cases, 554
Dysplasia, fibromuscular, of the internal carotid artery in a child with alpha-1-antitrypsin deficiency, 827
Dystonia, childhood, dopa-responsive,: a forme fruste with writer's cramp, triggered by exercise, 49

E

E Lahat replies to 'Visual Evoked Potentials: a Diagnostic Test for Migraine Headache in Children', 491 (L)
EAVES LC *see* HO HH
Editorials
Exotic perspectives and salient cases, 429
Outcomes research, 357
Partnerships: challenges and rewards, 573
Prevention – a complicated story, 789
Quantitative or qualitative research, 501
Report of meeting, 141
Telling is not always answering, 71
The blossoming of child neurology, 1
They are improved but are they better?, 213
Unsolved problems, 645
What's the baby like?, 285
EKEN P
see GROENENDAAL F
see PIERRAT V
EKMARK E *see* QUAN A
EL ABD S et al.: Agenesis of the corpus callosum in Turner syndrome with ring X, 119
ELMES H *see* FLETCHER-FLINN C

ELLERMUNTER H *see* SÖLDER B
ELLIOTT J *see* CUDDEFORD TJ
ELLIOTT T *see* ASARNOW RF
ELLIS RE
see HANLON MB
see MORTON RE
ELTUMI M and SULLIVAN PB: Nutritional management of the disabled child: the role of percutaneous endoscopic gastrostomy, 66 (A)
EMANUELSON IM et al.: Computed tomography and single-photon emission computed tomography as diagnostic tools in acquired brain injury among children and adolescents, 502
Encephalopathies, epileptic, Adaptive and maladaptive behaviour in children with,: correlation with cerebral glucose metabolism, 588
Enuresis, nocturnal, Determinants of, in England and Scotland in the '90s, 677
Epidemiology and clinical manifestations of hamstring muscle and plantar foot flexor shortening, 481
Epilepsy,
childhood
Disability due to restrictions in, 521
Dysfunction in, 72
idiopathic, The effect of seizure type and medication on cognitive and behavioral functioning in children with, 731
in patients with cerebral palsy, 659
Equinus deformity in cerebral palsy: recurrence after tendo achillis lengthening, 45
ERIKSSON KJ and KOIVIKKO MJ: Status epilepticus in children: aetiology, treatment, and outcome, 652
ESHEL G *see* LAHAT E
EVANS M: Labyrinth: a poem, 278
Eye movement abnormalities in a case of Tourette syndrome, 270

F

FABER JAJ *see* HANLO PW
Febrile
convulsions in selected large families: a single-major-locus mode of inheritance?, 79
seizures in a South Indian District: incidence and associations, 380
Feeding
ability in Rett syndrome, 331
problems, Caregivers' perceptions following gastrostomy in severely disabled children with, 746
suckle, in bottle-fed preterm infants, Deglutition apnoea as indicator of maturation of, 534
FENSON AH *see* ROBINSON RO
FERNELL E et al.: Possible effects of tetrahydrobiopterin treatment in six children with autism – clinical and positron emission tomography data: a pilot study, 313
FERRIE CD et al.: Adaptive and maladaptive behaviour in children with epileptic encephalopathies: correlation with cerebral glucose metabolism, 588
Fibromuscular dysplasia of the internal carotid artery in a child with alpha-1-antitrypsin deficiency, 827
FISHER WW *see* PIAZZA CC
5p– (cri du chat) syndrome,
Correlates of maladaptive behavior in individuals with, 752
Families of children with,: familial stress and sibling reactions, 757
FLACK FC *see* HANLON MB
FLETCHER JM et al.: Effects of intraventricular hemorrhage and hydrocephalus on the long-term neurobehavioral development of preterm very-low-birthweight infants, 596
FLETCHER-FLINN C et al.: Visual-perceptual and phonological factors in the acquisition of literacy among children with congenital developmental coordination disorder, 158
FORSSBERG H and TEDROFF AB: Botulinum toxin treatment in cerebral palsy: intervention with poor evaluation?, 635 (A)
Foix–Chavany–Marie syndrome, Pure congenital, 696
FOSTER A *see* RAHI JS
FRANCIS DJ *see* FLETCHER JM
FRASER WI *see* WEBB EVJ
FREELING RP *see* CUDDEFORD TJ

G

GABREELS FJM
see KERSEMAEKERS WM
see ROELEVELD N
Gait
analysis by measuring ground forces in children: changes to an adaptive gait pattern between the ages of one and three years, 228
disturbance, Late presentation of biotinidase deficiency with acute visual loss and, 830
flexed-knee, The influence of, on the energy cost of walking in children, 234
GALUPPI B *see* PALISANO R
GANESAN V et al.: Variable presentation of cerebrovascular disease in monovulvar twins, 628
GARDNER M *see* BOWEN JM
Gastrostomy
Caregivers' perceptions following, in severely disabled children with feeding problems, 746
endoscopic The role of percutaneous,: nutritional management of the disabled child, 66 (A)
GEDDES L *see* BLAYMORE BIER J-A
Genetics, spinal muscular atrophy of childhood:, 419 (A)
GENNAT H *see* GOSCH A
Gestational age at birth, I: correlation with, MRI findings in patients with spastic cerebral palsy, 363
GHIKA J *see* DEONNA T
GILBERT CE *see* RAHI JS
GILLBERG C
see ARONSON M
see FERNELL E
GLASS P et al.: Severity of brain injury following neonatal extracorporeal membrane oxygenation and outcome at age 5 years, 441
Glucose metabolism, cerebral, correlation with, Adaptive and maladaptive behaviour in children with epileptic encephalopathies:, 588
GODATH N et al.: Taste and smell in familial dysautonomia, 393

GOLDSCHMIDT RB *see* ARENS LJ
GOOCH J *see* BOWEN JM
GOOD WV et al.: Monocular vision loss can cause bilateral nystagmus in young children, 421 (A)
GOOSKENS RHJM *see* HANLO PW
GORDON CR *see* GADOTH N
GORDON N
and SILLANPÄÄ M: Epilepsy and prejudice with particular relevance to childhood, 777 (A)
Pyridoxine dependency: an update, 63 (A)
Rasmussen's encephalitis, 133 (A)
Temporal lobe seizures, hippocampal sclerosis, and other lesions, 564 (A)
GOSCH A
and PANKAU R: Personality characteristics and behaviour problems in individuals of different ages with Williams syndrome, 527
et al.: Longitudinal study of neuropsychological outcome in blind extremely-low-birthweight children, 297
GRAHAM HK
see CORRY IS
see DUFFY CM
GRANT AD *see* SALA DA
Grating acuity
and visual-field development in children with intraventricular hemorrhage, 305
Long-term, and visual-field development in preterm children who experienced bronchopulmonary dysplasia, 167
GRIEVINK EF *see* PETERS SAF
GROENENDAAL F et al.: Early cerebral proton MRS and neurodevelopmental outcome in infants with cystic leukomalacia, 373
Gross motor function in children with cerebral palsy, Development and reliability of a system to classify, 214
Growth retardation, intrauterine, ischaemic cerebral injury, and placental infarction, 726
Guillain–Barré syndrome, Myositis ossificans complicating severe, 775
GUTHRIE D *see* ASARNOW RF
GUTMAN R *see* NASS R

H

HAAGERUP A et al.: Biotinidase deficiency: two cases of very early presentation, 832
HACKETT L *see* HACKETT R
HACKETT R et al.: Febrile seizures in a South Indian district: incidence and associations, 380
HADDERS-ALGRA M et al.: Assessment of general movements: towards a better understanding of a sensitive method to evaluate brain function in young infants, 88
HADJICHRISTODOULOU C *see* HADJIPANAYIS A
HADJIPANAYIS A et al.: Epilepsy in patients with cerebral palsy, 659
HAGBERG B *see* ARONSON M
HAINSWORTH F et al.: A preliminary evaluation of ankle orthoses in the management of children with cerebral palsy, 243
HALL D: Otitis media with effusion, 280 (L)
HAMASAKI N *see* YOSHIMURA M
HAMMOND J *see* TRENEMAN M
Hand–eye coordination problems:, Inter- and intrasensory modality matching in children with, exploring the developmental lag hypothesis, 790
HANDLEY-DERRY M et al.: Intrapartum fetal asphyxia and the occurrence of minor deficits in 4- to 8-year-old children, 508
HANLO PW et al.: The effect of intracranial pressure on myelination and the relationship with neurodevelopment in infantile hydrocephalus, 286
HANLON MB et al.: Deglutition apnoea as indicator of maturation of suckle feeding in bottle-fed preterm infants, 534
HANNER P *see* DARIN N
HARA T *see* YOSHIMURA M
HARCKE HT *see* MILLER F
HARRIS CM *see* NARITA AS
HARRISON MJ *see* HAINSWORTH F
HARTVIG P *see* FERNELL E
HARVEY EM
et al.: Grating acuity and visual-field development in children with intraventricular hemorrhage, 305
et al.: Long-term grating acuity and visual-field development in preterm children who experienced bronchopulmonary dysplasia, 167
HAYAKAWA F *see* OKUMURA A
Head circumference at 4 years, neurodevelopmental outcome and, Relation of deranged neonatal cerebral oxidative metabolism with, 718
HEALY A et al.: Postural support systems: their fabrication and functional use, 706 (A)
Hearing impairment, Changes in prevalence, aetiology, age at detection, and associated disabilities in preschool children with, born in Göteborg, 797
HEAVILON J *see* DOERS T
Helicobacter pylori in an institution for disabled children in Hong Kong, 682
Hemiplegic upper limb, Botulinum toxin A in the,: a double-blind trial, 185
see also, 491 (L)
HENDERSON RC: Bone density and other predictors of fracture risk in children and adolescents with spastic quadriplegia, 224
HEPPER PG
Fetal habituation: another Pandora's box?, 274 (A)
Memory in utero?, 343 (A)
HERSH JH *see* WILLIAMS PG
HERVAS A *see* WEBB EVJ
HILL AE *see* DUFFY CM
HO HH and EAVES LC: Kabuki make-up (Niikawa–Kuroki) syndrome: cognitive abilities and autistic features, 487
HODAPP RM et al.: Families of children with 5p– (cri du chat) syndrome: familial stress and sibling reactions, 757
HOLLOWELL JG *see* YEARGIN-ALLSOPP M
HOWLIN P *see* EL ABD S
HOYT CS *see* GOOD WV
HUISMAN M *see* KOOPMAN-ESSEBOOM
HUNG JCC and APPLETON RE: Myositis ossificans complicating severe Guillain–Barré syndrome, 775
HUNT GM and PALMER C: The median survival time in open spina bifida, 568 (L)
Hydrocephalus

Effects of intraventricular hemorrhage and, on the long-term neurobehavioral development of preterm very-low-birthweight infants, 596
spina bifida and, Neuroradiological assessment of visuoperceptual disturbance in children with, 385
infantile, The effect of intracranial pressure on myelination and the relationship with neurodevelopment in, 286
Hyperactive and conduct-disordered children, Test of two views of impulsivity in, 574
Hypoplasia, Pontocerebellar, with microcephaly and dyskinesia: report of two cases, 554

I

Impulsivity, Test of two views of, in hyperactive and conduct-disordered children, 574
Infarction, placental, Ischaemic cerebral injury, intrauterine growth retardation, and, 726
INGVALDSON RP *see* SIGMUNDSSON H
Instructions for contributors, 282, 496, 713
Intellectual, neuropsychological, and behavioral findings in patients with centrotemporal spikes with and without seizures, 646
Inter- and intrasensory modality matching in children with hand–eye coordination problems: exploring the developmental lag hypothesis, 790
Intraventricular hemorrhage, grating acuity and visual-field development in children with, 305
ISAACS E *see* GANESAN V
Ischaemic cerebral injury, intrauterine growth retardation, and placental infarction, 726
ITO J-I et al.: Neuroradiological assessment of visuoperceptual disturbance in children with spina bifida and hydrocephalus, 385

J

JAMBAQUÉ I *see* MOTTRON L
JAN JE *see* GOOD WV
JASCHKE W *see* SÖLDER B
JAVORNISKY JG *see* LOOMIS JW
JENG SUH-FANG *see* LIAO HUA-FANG
JOHAL K *see* ROTH SC
JÓŹWIAK M et al.:The epidemiology and clinical manifestations of hamstring muscle and plantar foot flexor shortening, 481

K

Kabuki make-up (Niikawa–Kuroki) syndrome: cognitive abilities and autistic features, 487
KAITZ M *see* PARUSH S
KAPLAN JC *see* QUINLIVAN RM
KASSIS B *see* COMMARE MC
KATO T *see* OKUMURA A
KELLEY R *see* SQUIRES L
KERR A *see* MORTON RE
KERSEMAEKERS WM et al.: Neurodevelopment in offspring of hairdressers, 358
KESKIN S et al.: Could L-carnitine be an acute energy inducer in catabolic conditions?, 174
KESTLE JRW *see* STEINBOK P
KILLEN H *see* HANDLEY-DERRY M
KIM E *see* BLAYMORE BIER J-A
KIMURA K *see* KONISHI Y
Kinematics, pelvic and hip, The influence of forearm crutches on, in children with myelomeningocele: don't throw away the crutches, 614
KING G *see* LAW M
KIRKHAM FJ *see* GANESAN V
KLAEGER K *see* GOOD WV
KLEMMS A *see* PREIS S
KLIP-VAN DEN NIEUWENDIJK AWJ *see* HADDERS-ALGRA M
KOEDA O *see* YOSHIMURA M
KOIVIKKO MJ *see* ERIKSSON KJ
KOMATTU AV *see* ARNOLD AS
KONISHI Y et al.: Laterality of finger movements in preterm infants, 248
KONISHI K *see* KONISHI Y
KOOPMAN-ESSEBOOM C et al.: Newborn infants diagnosed as neurologically abnormal with relation to PCB and dioxin exposure and their thyroid-hormone status, 785 (L)
KORCZYN AD *see* NISIPEANU P
KRAMER LA *see* FLETCHER JM
KUMMER FJ *see* SALA DA
KUNO K *see* OKUMURA A
KURLEMANN G *see* WEGLAGE J
KURUVILLA A *see* NARAYAN SK

L

LABRECQUE R *see* MOTTRON L
LACHAR D *see* FLETCHER JM
LAHAT E
et al.: Visual evoked potentials - a diagnostic test for migraine headache in children, 85
E Lahat replies, 491 (L)
LAI JIN-SHIN *see* LIAO HUA-FANG
LAKE BD *see* ROBINSON RO
LANDRY SH *see* FLETCHER JM
LÅNGSTRÖM B *see* FERNELL E
LANZI G *see* BALOTTIN U
LAPPI M *see* VANHANEN S-L
LASK B *see* NARITA AS
Late presentation of biotinidase deficiency with acute visual loss and gait disturbance, 830
LAU D *see* LEWINDON PJ
LAW M et al.: A comparison of intensive neurodevelopmental therapy plus casting and a regular occupational therapy program for children with cerebral palsy, 664
LEARY PM *see* ARENS LJ
Leukoencephalopathy, Megalencephalic,: a further case of a new neurodegenerative white matter disease, 561
LEUNG PWL and CONNOLLY KJ: Test of two views of impulsivity in hyperactive and conduct-disordered children, 574
LEVENE MI *see* SINHA G
LEVITON A *see* DAMMAN O
LEWINDON PJ et al.: Helicobacter pylori in an institution for disabled children in Hong Kong, 682
LI L *see* RONA RJ

LIANG Y *see* MILLER F
LIAO HUA-FANG et al.:The relation between standing balance and walking function in children with spastic cerebral palsy, 106
LIEBLING J *see* BLAYMORE BIER J-A
LILJA A *see* FERNELL E
LIN J-P et al.: Soleus muscle length, stretch reflex excitability, and the contractile properties of muscle in children and adults: a study of the functional joint angle, 469
LINDSAY A *see* LOOMIS JW
LND, Cognition in: a two-year follow-up study, 492 (L)
LO PRESTI C *see* ASARNOW RF
LOBO S *see* WEBB EVJ
LOOMIS JW et al.: Relations between family environment and adjustment outcomes in young adults with spina bifida, 620
LOW JA *see* HANDLEY-DERRY M
Lumbar kyphosis, The progression of untreated, and the compensatory thoracic lordosis in myelomeningocele, 326
LUNA B *see* HARVEY EM

M

MADIGAN C *see* FERRIE CD
MAEGAKI Y *see* YOSHIMURA M
MAGNUSSON M *see* CUDDEFORD TJ
MAHER J and MCLACHLAN R: Febrile convulsions in selected large families: a single-major-locus mode of inheritance?, 79
MAISEY MN *see* FERRIE CD
MANDELBAUM DE and BURACK GD: The effect of seizure type and medication on cognitive and behavioral functioning in children with idiopathic epilepsy, 731
MANONMANI V and OUVRIER R:'Intravenous immunoglobulin treatment in childhood Guillain–Barré syndrome', 425 (L)
MARSDEN PK *see* FERRIE CD
MARTIJN A *see* HADDERS-ALGRA M
MARUFF P *see* WILSON PH
MASINO LL *see* HODAPP RM
MASS E *see* GADOTH N
MATTHEWS W *see* SOLAN A
MATTSSON E and ANDERSSON C: Oxygen cost, walking speed, and perceived exertion in children with cerebral palsy when walking with anterior and posterior walkers, 671
MAYR U *see* SÖLDER B
MCCLEAN D *see* CORRY IS
MCKENZIE BE *see* WILSON PH
also see SKORJI V
MCLACHLAN R *see* MAHER J
MCLAUGHLIN JF: Exotic perspectives and salient cases, 429 (E)
ME O'Regan replies to 'Nasal rather than Rectal Benzodiazepines in the Management of Acute Childhood Seizures', 137 (L)
MEJAŠKI-BOŠNJAK V AND BEŠENSKI N: Megalencephalic leukoencephalopathy: a further case of a new neurodegenerative white matter disease, 561
Melatonin treatment, Long-term, in blind children and young adults with circadian sleep–wake disturbances, 319
MELO J *see* BARBOT C
Mental retardation, The prevalence of,: a critical view of recent literature, 125 (A)
among 10-year-old children, Metropolitan Atlanta, 1985 to 1987, Reported biomedical causes and associated medical conditions for, 142
Mentally retarded child, Fast-wave periodic complexes in a, who later developed subacute sclerosing panencephalitis: a modification of a classic EEG by preexisting brain damage?, 766
MERLO M *see* MILLER F
MERT M *see* KESKIN S
Microcephaly and dyskinesia, Pontocerebellar hypoplasia with,: report of two cases, 554
Migraine headache in children, a diagnostic test for, Visual evoked potentials - , 85
see also 491 (L)
MILLER F et al.: Measuring anteversion and femoral neck-shaft angle in cerebral palsy, 113
MILLER K *see* PREIS S
MINEAU S *see* MOTTRON L
MINFORD J *see* MORTON RE
MINNS RA *see* OMAR FZ
MIRANDA A *see* COMMARE MC
MIYAMOTO A *see* ITO J-I
MONAHAN JJ *see* LOOMIS JW
MOORE C *see* VANKOSKI S
MORALES Y *see* BLAYMORE BIER J-A
MORTON RE et al.:
Feeding ability in Rett syndrome, 331
Respiration patterns during feeding in Rett syndrome, 607
MOTTRON L et al.: Visual agnosia with bilateral temporo-occipital brain lesions in a child with autistic disorder: a case study, 699
MRI
appearances, Progressive facial hemiatrophy:, 484
findings in patients with spastic cerebral palsy.
I: correlation with gestational age at birth, 363
II: correlation with type of cerebral palsy, 369
MRS, cerebral proton, Early, and neurodevelopmental outcome in infants with cystic leukomalacia, 373
MURPHY CC *see* YEARGIN-ALLSOPP M
Muscle
activation, Does walking speed influence the time pattern of, in normal children?, 803
hamstring, and plantar foot flexor shortening, The epidemiology and clinical manifestations of, 481
length, Soleus, stretch reflex excitability, and the contractile properties of muscle in children and adults: a study of the functional joint angle, 469
power regulation, Hand function in low-risk preterm infants: its relation with, 6
Muscular dystrophy, Absence of alpha-sarcoglycan and novel missense mutations in the alpha-sarcoglycan gene in a young British girl with, 770
Mutism, Complex orofacial movements and the disappearance of cerebellar,: report of five cases, 686
Myelomeningocele
Energy consumption in children with,: a comparison

between reciprocating gait orthosis and hip–knee–ankle–foot orthosis ambulators, 239
Medical and social factors associated with cognitive outcome in individuals with, 263
Progression of untreated lumbar kyphosis and the compensatory thoracic lordosis in, 326
The influence of forearm crutches on pelvic and hip kinematics in children with,: don't throw away the crutches, 614
Myositis ossificans complicating severe Guillain–Barré syndrome, 775

N

NADIR E *see* LAHAT E
NARAYAN SK et al.: Fast-wave periodic complexes in a mentally retarded child who later developed subacute sclerosing panencephalitis: a modification of a classic EEG by pre-existing brain damage?, 766
NARITA AS et al.: Eye movement abnormalities in a case of Tourette syndrome, 270
NASS R and GUTMAN R: Boys with Asperger's disorder, exceptional verbal intelligence, ties, and clumsiness, 691
Neurobrucellosis in childhood: six new cases and a review of the literature, 762
Neurodevelopment in offspring of hairdressers, 358
Neurodevelopmental outcome
and head circumference at 4 years, relation of deranged neonatal oxidative metabolism with, 718
early cerebral proton MRS and, in infants with cystic leukomalacia, 373
in babies with a low Apgar score from Zimbabwe, 821
Neurodisability services, a severe test of paediatric?, the Worster-Drought syndrome:, 782 (A)
Neurological disorder, a novel, with progressive CNS calcification, deafness, renal tubular acidosis, and microcytic anemia, 198
Neurologically abnormal, newborn infants diagnosed as, with relation to PCB and dioxin exposure and their thyroid-hormone status, 785 (L)
Neuromuscular deficiencies, the outcome of walking in stable, 253
Neurophysiological
intellectual, and behavioral findings in patients with centrotemporal spikes with and without seizures, 646
status at the time of hospital discharge, childhood traumatic brain injury:, 17
Neuroradiological assessment of visuoperceptual disturbance in children with spina bifida and hydrocephalus, 385
NEVILLE B
The Worster-Drought syndrome: a severe test of paediatric neurodisability services?, 782 (A)
see SCOTT RC
see VAN MOURIK M
Newborn infants diagnosed as neurologically abnormal with relation to PCB and dioxin exposure and their thyroid-hormone status, 785 (L)
(Niikawa–Kuroki), Kabuki make-up, syndrome: cognitive abilities and autistic features, 487
NILSSON D *see* BOWEN JM
NISIPEANU P et al.: Pure congenital Foix–Chavany–Marie syndrome, 696
Nutritional management of the disabled child: the role of percutaneous endoscopic gastrostomy, 66 (A)
Nystagmus, bilateral, in young children, monocular vision loss can cause, 421 (A)

O

OKUBO K *see* YOSHIMURA M
OKUMURA A et al.:
MRI findings in patients with spastic cerebral palsy.
I: correlation with gestational age at birth, 363
II: correlation with type of cerebral palsy, 369
OLESEN J: International headache society classification and diagnostic criteria in children: a proposal for revision, 138 (L)
OMAR FZ et al.: Neurobrucellosis in childhood: six new cases and a review of the literature, 762
O'REGAN M: ME O'Regan replies to 'Nasal rather than rectal benzodiazepines in the management of acute childhood seizures', 137 (L)
Orofacial movements, Complex, and the disappearance of cerebellar mutism: report of five cases, 686
Otitis media
early, the contribution of risk factors to the effect of, with effusion on later language, reading and spelling, 31
with effusion, 280 (L)
OUVRIER R *see* MANOUMANI V

P

PALISANO R et al.: Development and reliability of a system to classify gross motor function in children with cerebral palsy, 214
PALM L et al.: Long-term melatonin treatment in blind children and young adults with circadian sleep–wake disturbances, 319
PALMER C *see* HUNT GM
Panencephalitis, subacute sclerosing, fast-wave periodic complexes in a mentally retarded child who later developed,: a modification of a classic EEG by preexisting brain damage?, 766
PANKAU R *see* GOSCH A
PAPERO PH *see* GLASS P
PARUSH S et al.: Somatosensory functioning in children with attention deficit hyperactivity disorder, 464
PATTON MA *see* EL ABD S
PAUL M and ALLINGTON-SMITH P: Asperger syndrome associated with Steinert's myotonic dystrophy, 280 (L)
PAYTON DJ *see* BURKE CJ
PEACOCK WJ *see* ASARNOW RF
PÉPIN J-P *see* MOTTRON L
PETERS SAF et al.: The contribution of risk factors to the effect of early otitis media with effusion on later language, reading and spelling, 31
PERDOCK J *see* PLANTINGA Y
PHAROAH POD
and COOKE RWI: A hypothesis for the aetiology of spastic cerebral palsy – the vanishing twin, 292
see STEVENSON C

PIAZZA CC et al.: Treatment of multiple sleep problems in children with developmental disabilities: faded bedtime with response cost versus bedtime scheduling, 414
PICCOLO F *see* QUINLIVAN RM
PIERRAT V et al.: The predictive value of cranial ultrasound and of somatosensory evoked potentials after nerve stimulation for adverse neurological outcome in preterm infants, 398
PIETRZAK S *see* JÓŹWIAK M
PIETSCH M *see* WEGLAGE J
PIKE MG *see* RAHMAN S
PLAGHKI L *see* DETREMBLEUR C
Plantar foot flexor shortening, the epidemiology and clinical manifestations of hamstring muscle and, 481
PLANTINGA Y et al.: Hand function in low-risk preterm infants: its relation with muscle power regulation, 6
POLLOCK N *see* LAW M
POMPA J *see* BOWEN JM
Postural support systems: their fabrication and functional use, 706 (A)
PREIS S et al.: Gait analysis by measuring ground forces in children: changes to an adaptive gait pattern between the ages of one and three years, 228
Prenatal factors, the importance of, in childhood blindness in India, 449
Preterm
  children who experienced bronchopulmonary dysplasia, Long-term grating acuity and visual-field development in, 167
  infant, Does prepregnancy bacterial vaginosis increase a mother's risk of having a, with cerebral palsy? 836
  infants
    bottle-fed, Deglutition apnoea as indicator of maturation of suckle feeding in, 534
    laterality of finger movements in, 248
    the predictive value of cranial ultrasound and of somatosensory evoked potentials after nerve stimulation for adverse neurological outcome in, 398
    using motor milestones as a multistep process to screen, for cerebral palsy, 12
    hand function in low-risk,: its relation with muscle power regulation, 6
  very-low-birthweight infants, effects of intraventricular hemorrhage and hydrocephalus on the long-term neurobehavioral development of, 596
Pyridoxine dependency: an update, 63 (A)

Q

QUAN A et al.: Serum creatinine is a poor marker of glomerular filtration rate in patients with spina bifida, 808
QUINLIVAN RM et al.: Absence of alpha-sarcoglycan and novel point mutations in the alpha-sarcoglycan gene in an 11-year-old British girl with muscular dystrophy, 770

R

RADEMAKER KJ *see* GROENENDAAL F
RADHAKRISHNAN VV *see* NARAYAN SK
RAHI JS et al.: The importance of prenatal factors in childhood blindness in India, 449
RAHMAN S et al.: Late presentation of biotinidase deficiency with acute visual loss and gait disturbance, 830
RAJASINGHAM SR *see* GLASS P
RAMSEY C *see* HEALY A
Rasmussen's encephlitis, 133
RAYMOND FL: Spinal muscular atrophy of childhood: genetics, 419 (A)
REINER A *see* STEINBOK P
REITER S *see* TIROSH E
Respiration patterns during feeding in Rett syndrome, 607
Respite-care needs – met and unmet: assessment of needs for children with disability, 548
Rett syndrome
  Feeding ability in, 331
  Respiration patterns during feeding in, 607
REX D *see* CUDDEFORD TJ
REYNOLDS EOR *see* ROTH SC
Rhizotomy
  selective posterior
    A randomized clinical trial to compare, plus physiotherapy with physiotherapy alone in children with spastic diplegic cerebral palsy, 178
    Therapeutic electrical stimulation following, in children with spastic diplegic cerebral palsy: a randomized clinical trial, 515
RIEDER I *see* NISIPEANU P
Risk factors, The contribution of, to the effect of early otitis media with effusion on later language, reading and spelling, 31
RIEWALD SA and DELP SL: The action of the rectus femoris muscle following distal tendon transfer: does it generate knee flexion moment?, 99
ROBB SA *see* QUINLIVAN RM
ROBEY K *see* SOLAN A
ROBINSON RO
  et al.: Salla disease – rare or underdiagnosed?, 153
  see FERRIE CD
  see TAYLOR HM
ROELEVELD N
  et al.: The prevalence of mental retardation: a critical view of recent literature, 125 (A)
  see KERSEMAEKERS WM
ROHLMANN A *see* GOSCH A
RONA RJ et al.: Determinants of nocturnal enuresis in England and Scotland in the '90s, 677
Ronnie Mac Keith Lecture, 1996, Current awareness: spotlight on consciousness, 54
ROSENBAUM P
  Partnerships: challenges and rewards, 573 (E)
  see LAW M
  see PALISANO R
ROTH SC et al.: Relation of deranged neonatal cerebral oxidative metabolism with neurodevelopmental outcome and head circumference at 4 years, 718
ROULET E *see* DEONNA T
ROUSSOUNIS SH *see* HAINSWORTH F
RUSSELL D
  see Law M
  see Palisano R

RUVALCABA RHA: Familial spinocerebellar ataxia and empty sella turcica, 558

S

SALA DA et al.: Equinus deformity in cerebral palsy: recurrence after tendo achillis lengthening, 45
SAIJO H *see* ITO J-I
SAINIO K *see* VANHANEN S-L
SAITO M *see* KONISHI Y
SANKAR R *see* ASARNOW RF
SANTAVUORI P *see* VANHANEN S-L
SARWARK JF *see* VANKOSKI S
SAUER PJJ *see* KOOPMAN-ESSEBOOM
SCHANIN M *see* TIROSH E
SCHER MS *see* HARVEY EM
SCHILDER AGM *see* PETERS SAF
SCHOETTKER PJ *see* GOOD WV
Sclerosis, Hippocampal, temporal lobe seizures, and other lesions, 564 (A)
SCOTT RC et al.: Nasal rather than rectal benzodiazepines in the management of acute childhood seizures?, 137 (L)
SCOURFIELD J *see* WEBB EVJ
SCRUTTON D:Telling is not always answering, 71 (E)
Seizure type, The effect of, and medication on cognitive and behavioral functioning in children with idiopathic epilepsy, 731
Seizures
  Febrile, in a South Indian district: incidence and associations, 380
  Temporal lobe, hippocampal sclerosis, and other lesions, 564 (A)
  with and without, Neuropsychological, intellectual, and behavioral findings in patients with centrotemporal spikes, 646
SELLEY WG *see* HANLON MB
Serum creatinine is a poor marker of glomerular filtration rate in patients with spina bifida, 808
SEWRY C *see* QUINLIVAN RM
SEVEN A *see* KESKIN S
SEXSMITH E *see* HEALY A
SHANMUGAM J *see* NARAYAN SK
SHAWKAT FS *see* NARITA AS
SHELDON TA *see* HAINSWORTH F
SHERER M *see* PIAZZA CC
SHEWMON DA *see* ASARNOW RF
SHIELDS WD *see* ASARNOW RF
SHOESMITH HJ *see* HANLON MB
SHORT BL *see* GLASS P
SIGMUNDSSON H et al.: Inter- and intrasensory modality matching in children with hand–eye coordination problems: exploring the developmental lag hypothesis.
SILLANPÄÄ M *see* GORDON N
SINHA G et al.: Prevalence and type of cerebral palsy in a British ethnic community: the role of consanguinity, 259
SIROLLI H *see* CUDDEFORD TJ
SKORJI V and MCKENZIE: How do children who are clumsy remember modelled movements?, 404
Sleep problem
  common, Rapid-acting treatment for a, 543
  Treatment of multiple, in children with developmental disabilities: faded bedtime with response cost versus bedtime scheduling, 414
Sleep–wake disturbances, circadian, long-term melatonin treatment in blind children and young adults with, 319
SLY WS *see* YOSHIMURA M
SOHMER H *see* PARUSH S
SOLAN A et al.: Cognition in LND: a two-year follow-up study, 492 (L)
SÖLDER B et al: Fibromuscular dysplasia of the internal carotid artery in a child with alpha-1-antitrypsin deficiency, 827
Somatosensory
  evoked potentials, The predictive value of cranial ultrasound and of, after nerve stimulation for adverse neurological outcome in preterm infants, 398
  functioning in children with attention deficit hyperactivity disorder, 464
Spasms, infantile, Developmental outcomes in children receiving resection surgery for medically intractable, 430
Spina bifida
  and hydrocephalus, Neuroradiological assessment of visuoperceptual disturbance in children with, 385
  open, The medial survival time in, 568 (L)
  Relations between family environment and adjustment outcomes in young adults with, 620
  Serum creatinine is a poor marker of glomerular filtration rate in patients with, 808
SQUIRES L et al.: Resolution of subependymal cysts in neonatal holocarboxylase synthetase deficiency, 267
SRIPATHI S *see* RAHI JS
STANDING S *see* RAHMAN S
STATLER KD *see* VANKOSKI S
STEINBERG A *see* PARUSH S
STEINBOK P et al.:
  a randomized clinical trial to compare selective posterior rhizotomy plus physiotherapy with physiotherapy alone in children with spastic diplegic cerebral palsy, 178
  therapeutic electrical stimulation following selective posterior rhizotomy in children with spastic diplegic cerebral palsy: a randomized clinical trial, 515
STEINER JE *see* GADOTH N
Steinert's myotonic dystrophy, Asperger syndrome associated with, 280 (L)
STEVENS DB *see* DOERS T
STEVENSON C et al.: Cerebral palsy – the transition from youth to adulthood, 336
STEVENSON R *see* STEVENSON C
STEWART AL *see* ROTH SC
STREIF W *see* SÖLDER B
STROINK H *see* CARPAY HA
STRUGNELL D *see* FLETCHER-FLINN C
SUBESINGHE D *see* SINHA G
SULLIVAN PB
  see ELTUMI M
  see LEWINDON PJ

T

TAKAYA R *see* KONISHI Y

TAKESHITA K *see* YOSHIMURA M
TAKEUCHI K *see* KONISHI Y
TANAKA H *see* ITO J-I
TANI Y *see* FERNELL E
TANNENBERG AE *see* BURKE CJ
TARRANT SC *see* MORTON RE
TAWFIK R et al.: Caregivers' perceptions following in severely disabled children with feeding problems, 746
TAYLOR DSI *see* NARITA AS
TAYLOR HM et al.: Progressive facial hemiatrophy: MRI appearances, 484
TEDROFF KB *see* FORSSBERG H
TEMPLETON JJ *see* DELFICO AJ
Tetrahydrobiopterin treatment, Possible effects of, in six children with autism – clinical and positron emission tomography data: a pilot study, 313
THIRINGER K *see* DARIN N
THOMAS AG *see* TAWFIK R
THOMAS SS *see* CUDDEFORD TJ
Thyroid-hormone status, Newborn infants diagnosed as neurologically abnormal with relation to PCB and dioxin exposure and their, 785 (L)
Tics, Asperger's disorder, exceptional verbal intelligence, and clumsiness, Boys with, 691
TILLING K *see* FERRIE CD
TIROSH E et al.: Children's attitudes toward peers with disabilities: the Israeli perspective, 811
TOBJASZ F *see* JÓŹWIAK M
TOET MC *see* GROENENDAAL F
Tourette syndrome, Eye movement abnormalities in a case of, 270
TOUWEN BC *see* KOOPMAN-ESSEBOOM
TOUZEAU C *see* COMMARE MC
TOWNSEND JP *see* ROTH SC
TRAUNER DA *see* COLAH S
TRENEMAN M et al.: Respite-care needs – met and unmet: assessment of needs for children with disability, 548
TRIPP JH *see* HANLON MB
TSE P *see* LEWINDON PJ
TULLEKEN CAF *see* HANLO PW
Turner syndrome with ring X, Agenesis of the corpus callosum in, 119
Twin, the vanishing, A hypothesis for the aetiology of spastic cerebral palsy, 292
Twins, monovulvar, Variable presentation of cerebrovascular disease in, 628

U

UMFLEET J *see* SQUIRES L
Ultrasound, cranial, The predictive value of, and of somatosensory evoked potentials after nerve stimulation for adverse neurological outcome in preterm infants, 398
UVEBRANT P
see BECKUNG E
see EMANUELSON IM

V

Vaginosis, bacterial, Does prepregnancy, increase a mother's risk of having a preterm infant with cerebral palsy? 836
Valproate syndrome, fetal, A male with, 632
VAN BON WHJ *see* PETERS SAF
VAN DEN BERKEN JHL *see* SCHILDER AGM
VAN DEN BRINK KD *see* DOERS T
VAN DER GROND J *see* GROENENDAAL F
VAN DER KNAAP MS *see* HANLO PW
VAN DONGEN HR *see* VAN MOURIK M
VAN DONSELAAR CEES A *see* CARPAY HA
VAN EYKERN LA *see* HADDERS-ALGRA M
VAN HAASTERT IC *see* GROENENDAAL F
VAN MOURIK M et al.: Complex orofacial movements and the disappearance of cerebellar mutism: report of five cases, 686
VÁN SCHOONEVELD M *see* HANLO PW
VANHANEN S-L et al.: EEG and evoked potentials in infantile neuronal ceroid-lipofuscinosis, 456
VANKOSKI S et al.: The influence of forearm crutches on pelvic and hip kinematics in children with myelomeningocele: don't throw away the crutches, 614
VENTER A: Caregivers' expectations of services at Baragwanath Hospital, Soweto and their understanding of the child's disability, 815
Verbal intelligence, exceptional, Asperger's disorder, tics, and clumsiness, Boys with, 691
VERMEULEN J *see* CARPAY HA
VOGEL L: The child with a spinal cord injury, 202 (A)
Vision loss, Monocular, can cause bilateral nystagmus in young children, 421 (A)
Visual
agnosia with bilateral temporo-occipital brain lesions in a child with autistic disorder: a case study, 699
evoked potentials
- a diagnostic test for migraine headache in children, 85
see also, 491 (L)
-field development
Grating acuity and, in children with intraventricular hemorrhage, 305
Long-term grating acuity and, in preterm children who experienced bronchopulmonary dysplasia, 167
-perceptual and phonological factors in the acquisition of literacy among children with congenital developmental coordination disorder, 158
Visuoperceptual disturbance, Neuroradiological assessment of, in children with spina bifida and hydrocephalus, 385
Visuospatial, attention, in children with developmental coordination disorder, Covert orienting of, 736
VON KNORRING A-L *see* FERNELL E
VON WENDT L *see* EMANUELSON IM

W

WAGNER AE *see* GLASS P
WALKER JL *see* DOERS T
Walkers, anterior and posterior, Oxygen cost, walking speed, and perceived exertion in children with cerebral palsy when walking with, 671
Walking
function, The relation between standing balance and, in children with spastic cerebral palsy, 106
speed, Does, influence the time pattern of muscle activa-

tion in normal children?, 803
speed, Oxygen cost, and perceived exertion in children with cerebral palsy when walking with anterior and posterior walkers, 664
WALTER S *see* LAW M
WALSH EG
see CORRY IS
see LIN J-P
WALTER S *see* PALISANO R
WATANABE K *see* OKUMURA A
WATANABE Y *see* FERNELL E
WAURICK M *see* HANDLEY-DERRY M
WEBB EVJ et al.:The changing prevalence of autistic disorder in a Welsh health district, 150
WEGLAGE J et al.: Neuropsychological, intellectual, and behavioral findings in patients with centrotemporal spikes with and without seizures, 646
WEISGLAS-KUPERUS N *see* KOOPMAN-ESSEBOOM
WETTERBERG L *see* PALM L
WHITING HTA *see* SIGMUNDSSON H
WIJMA CA *see* HODAPP RM
WIKLUND L-M *see* EMANUELSON IM
WILD J *see* SINHA G
WILLEMS P *see* DETREMBLEUR C
WILLEMSE J *see* HANLO PW
WILLIAMS PG and HERSH JH: A male with fetal valproate syndrome, 632
Williams syndrome, Personality characteristics and behaviour problems in individuals of different ages with, 527
WILSON L *see* EL ABD S
WILSON PH et al.: Covert orienting of visuospatial attention in children with developmental coordination disorder, 736
WILSON R *see* EL ABD S
WINTGENS AM *see* EL ABD S
WOLF B *see* WOLF MJ
WOLF MJ et al,: Neurodevelopmental outcome in babies with a low Apgar score from Zimbabwe, 821
WOOD E *see* PALISANO R
WYATT JS *see* ROTH SC

Y

YEARGIN-ALLSOPP M et al.: Reported biomedical causes and associated medical conditions for mental retardation among 10-year-old children, Metropolitan Atlanta, 1985 to 1987, 142
YOSHIMURA M et al.: A novel neurological disorder with progressive CNS calcification, deafness, renal tubular acidosis, and microcytic anemia, 198
YOUROUKOS *see* HADJIPANAYIS A
YURDAKUL F *see* KESKIN S

Z

ZAMBRINO CA *see* BALOTTIN U
ZESIGER P *see* DEONNA T
ZIELHUIS GA
see KERSEMAEKERS WM
see ROELEVELD N
ZUBERI S *see* OMAR FZ